

INDEX

A

adaptive management, 8–10, 12, 16, 23, 45, 47, 55, 97, 181, 185, 208, 216, 247, 320, 323–325, 332

ammonia (ammonia N), 18, 226, 261–265, 277–278, 289, 291, 295, 298–300, 318

animal excreta (manure, urine), 7, 8, 18–21, 33–34, 157–158, 160–165, 230–234, 245–247, 262–301, 318–321, 330–331

animal health, 132, 145, 147, 150–152, 182, 184, 231, 233, 278, 318, 321

average daily gain, 117–118, 140–147, 151

avian (bird) responses, 172, 176–177

B

biocontrol, 15, 236

biodiversity, 7, 8, 10, 36, 38, 94, 133, 150, 157, 160, 210, 217, 327, 329

biofuel (bioenergy) crops, 97, 321, 330, 331

biomass, 6, 8–11, 14, 15, 18, 21, 28, 33, 34, 38, 41–46, 59–62, 85–88, 94–95, 153–155, 173–179, 208–210, 259–265, 289–295, feedstock, 34
production, 8, 44–46, 53, 77, 88, 265, 294

buffer (filter) strips, 156, 176, 177, 180, 222, 234, 280, 284, 286–288

C

carbon (soil), 35–38, 167–170, 226, 243, 247, 259, 261–264, 299, 326, 330

carbon sequestration, 11, 14, 21, 36, 38, 67, 95, 96, 115, 262, 318, 319
carbonate, 225

climatic factors, 40, 69
cool-season species, 15, 34, 43, 48, 76, 146, 212, 231

cost-benefit analyses, 325

cropland pasture, 30, 31

D

Diet selection, 126, 127, 134, 147

E

ecosystem, 7, 10, 12, 15, 16, 112–113, 147, 152, 153, 160, 163–167, 172, 176, 180–182, 209–212, 236, 287–291, 319
function, 35, 328
goods, 5, 27, 36, 328
services, 5, 8, 10, 20, 22–25, 27–28, 30, 35–36, 43, 55, 65, 77, 96–97, 184, 220–221, 243–245, 259, 317–321, 324, 328–329, 332

education, 8–10, 23–24, 35, 97, 166, 181, 185, 207, 220, 229, 247–248, 320–328, 330–332
programs, 12, 247, 327

F

forage accumulation, 12, 115, 116, 119–124, 126, 129, 133, 141, 144, 185

forage allowance, 114–118, 120, 144

forage mass, 12, 114–124, 126–130, 132–135, 137–141, 148–150, 153–154, 180–182

forage nutritive value, 77, 116–117, 124, 126, 128–130, 135, 137, 140–41, 182

forage quality, 34–35, 45–48, 66–70, 78–81, 146–148, 207–212, 218, 221, 225, 228–230, 232, 236–239, 241–247, 264, 320–321

forage systems, 129, 145–147, 290

forage mixtures, 116, 124, 216, 246

G

germination, 9, 52, 59–63, 65–66, 71–77, 83, 213–214, 243
rate, 61, 62, 75

grazing, 5, 6, 16, 19, 20, 22, 27–35, 43–45, 50–53, 87–96, 113–141, 143–185, 244–247, 261–267, 272–275, 279–281, 284–286, 288–291, 318–321, 329–330
behavior, 135, 138, 147, 184,
intensity, 12–14, 113–121, 139–141, 145, 152–155, 167–168, 172–177, 180–182, 184–185, 285–286
methods, 20, 45, 157, 162, 266, 275, 286
system, 32, 38, 47, 51, 113, 121, 122, 131, 148–150, 154, 275

ground cover, 11–14, 94–95, 114–115, 155–159, 182, 185, 217, 229, 262, 277, 319–322

H

harvest (cutting), 8–12, 15–18, 33–35, 47–49, 69–72, 93–95, 130–133, 207–218, 220–248, 265, 267, 272, 285–291, 318–324, 329–331
frequency, 217, 220, 229, 238, 239, 321
height, 15, 217, 220, 221, 227–229, 244

I

integrated pest management (IPM), 15, 18, 209, 236

M

manure, 7, 8, 18–21, 33–34, 135, 150, 152, 161–162, 165, 171, 207, 217, 230–234, 245–247, 260, 262, 264–272, 274–290, 292–301, 318–321, 330–331
analysis, 277
application, 19, 217, 232–234, 246, 247, 267–270, 277, 279, 280, 282, 284, 285, 287, 297–301, 318, 319, 331

modeling, 8–10, 27, 96, 97, 150, 169, 171, 181, 182, 241, 246, 247, 278, 279, 324, 329

monitoring, 12, 16, 23, 27, 97, 165, 181, 185, 233, 245–248, 276, 320, 323–326, 331–332

N

National Organic Standards, 35

nitrogen fixation (N_2 fixation), 53, 226, 229, 263, 292, 330

nutrient budget, 274–277, 279

nutrient cycling, 11, 19, 20, 35, 72, 95, 168, 328

nutrient management, 18–20, 32–34, 229–238, 257–266, 276–278, 293–296, 298–301, 318–321

P

pasture (paddock) size, 122, 137–139, 143, 150, 152, 184

pH (soil), 11, 56–57, 63–65, 230–241, 264, 269, 276, 282, 289, 297–299

plant persistence, 12, 120, 121, 126, 128, 134, 212–214, 218, 226, 235, 240

prescribed grazing, 6, 12–13, 28, 32–34, 38, 111, 113–115, 119, 128–129, 137, 139, 141, 145, 147, 162, 163, 169, 172, 176, 180–185, 236, 294, 318

pure live seed (PLS), 9, 59, 61, 62, 77–79, 81–82

R

regrowth, 15–17, 117–118, 122–124, 127, 132–134, 157, 182–183, 210–212, 214–218, 220, 226–229, 234–237, 239–240, 242–244, 318, 319

resource concerns, 32

risk assessment, 272, 276, 277, 283, 318

S

season of grazing, 13, 14, 113–115, 129–133, 145–147, 159–171, 178–179, 181–183, 185

seed coatings, 10, 44, 45, 59–61, 77

seed dormancy, 75, 83,

seed quality, 9, 50, 62, 63, 97

seed source, 44

seed storage, 60, 62, 63

seed vigor, 60, 62, 63

seedbed preparation, 44, 65, 70, 73

seeding, 8–11, 43–48, 59–61, 63–73, 75–83, 85, 87–90, 92–97, 211–215, 227–230, 238, 320, 322

- frost seeding 48, 95
- no-till seeding, 8, 10, 11, 48, 60, 63, 66, 67, 71–73, 87, 94, 95, 299, 319, 322
- rates of seeding, 44, 45, 51, 61, 71, 77–79, 81–82, 238, 320
- sprig seeding, 71

soil moisture, 73–75, 83, 133, 137, 155, 175, 221, 222, 231, 234, 278

soil organic matter, 19, 37, 43, 166, 168, 170, 171, 183, 261, 263, 269, 270, 290, 293, 330

soil quality, 27, 168–170, 181, 183, 259–260, 293, 297, 294, 319, 322–323, 326, 329

soluble P, 152, 155, 267, 272, 281, 283, 284, 286, 287

stocking method, 12–14, 113–115, 141–145, 171, 176–177, 181–185

- continuous, 12, 121–128, 141–145, 154–157, 180–182, 185, 285–286, 319
- rotational, 8, 121–124, 126–128, 137, 141–145, 154–159, 169, 176–178, 180–182, 285–286, 288, 319, 326
- deferred, 178

stocking rate (grazing intensity), 10, 12, 20, 94, 95, 113, 115–129, 135–150, 152–157, 161, 163, 166–169, 173–175, 177–179, 181, 183, 184

stockpiling, 129–131, 133–134, 145, 147, 182

storage, 9, 16–17, 59–63, 208, 212, 220, 222–226, 232–237, 245–246, 264, 267–268, 270, 276, 278, 321

W

warm-season species, 28, 46, 73, 146, 147, 211

water, 7–14, 17–24, 30–32, 34–37, 48–50, 59–61, 67–71, 75–77, 94–96, 114–115, 131–132, 136–139, 149–177, 180–185, 207–208, 211–212, 219–226, 230–241, 244–246, 248, 259–264, 275–277, 279–300, 318–324, 328–331

- infiltration, 11, 12, 43, 48, 94, 153, 156, 170, 185, 299

- quality, 7–9, 11–14, 30–36, 95–96, 114–115, 132, 136–137, 151–160, 162–166, 180–185, 245–248, 260–264, 279–289, 298, 322, 323, 329–331
- sources, 132, 138, 149–152, 162–163, 166, 171–172, 286

weed control, 9, 10, 27, 44, 45, 63, 65, 82, 88, 89, 92–95, 229, 237, 238, 320

wildlife, 7–10, 14–18, 30–38, 45–47, 60–62, 87–88, 94–96, 115, 131, 132, 136, 139, 144, 161, 169, 172, 175–185, 207–217, 224, 226, 229, 239–248, 317–330

- benefits, 10, 16, 46, 47, 50, 94, 207, 240, 318, 320, 326, 330
- habitat, 30–35, 131–132, 139, 172, 176, 182, 185, 205, 217, 239, 242, 244, 326, 330,

wind erosion, 67, 220, 319, 322